

Conduit elbow set

## ROK 20 S



### ROK 20 S

#### Conduit elbow set

Productnumber: 97072001

Dimensions: 63 x 35 x 62 mm

Conduit elbow set, consisting of conduit ferrule with bottom section and conduit elbow 30°, rated insulation voltage: 400V AC, Halogen free, Number of 30° insertions: 1

**3-part, adhesive fixing or nail installation, sealing range M20, support spar compatible**



## Technical Data

### electrical characteristics

|                              |                       |
|------------------------------|-----------------------|
| Rated insulation voltage AC: | 400 V                 |
| Suitable for:                | Concrete construction |

### Dimensions

|         |       |
|---------|-------|
| Width:  | 63 mm |
| Length: | 35 mm |
| Height: | 62 mm |

### Material characteristics

|  |        |
|--|--------|
| Halogen free:                                      | yes    |
| Flammability class according with UL94:            | HB     |
| Glow-wire flammability according to EN 60695-2-11: | 650 °C |
| Industry quality:                                  | no     |

### mechanical properties

|                    |                                      |
|--------------------|--------------------------------------|
| Type of fastening: | adhesive fixing or nail installation |
|--------------------|--------------------------------------|

### Ambient conditions

|                              |        |
|------------------------------|--------|
| max. relative humidity 25°C: | - %    |
| max. relative humidity 40°C: | 50 %   |
| Min. ambient temperature:    | -25 °C |
| Max. ambient temperature:    | 40 °C  |
| 24h ambient temperature:     | 35 °C  |

### Material

|                     |               |
|---------------------|---------------|
| Base unit material: | Polypropylene |
| Cover material:     | Polypropylene |

## Accessories

[97911501 - DH 55 - ceiling hook](#)

[97911601 - DH 90 - ceiling hook](#)

[97911801 - DH 65 - ceiling hook](#)

[97924001 - NAS-AL - IBT Accessories](#)

[97924201 - NA-AL - IBT Accessories](#)

[97924301 - NA-AL/gl - IBT Accessories](#)